

NEW MEDLEY®

Education today requires technology, so the New Medley Series of training tables features three wire-management solutions for students and teachers. Each has its own unique method of handling cords and cables neatly and efficiently. They also provide practical functionality, quick-change mobility and height adjustability. Constructed of commercial-grade

materials, they are sturdy, stand up to heavy use, and come in a flexible range of widths, depths and configurations. Optional casters make tables easy to rearrange for changing lesson plans and group projects. Just as important, New Medley offers fixed- and adjustable-height leg options to fit multiple age groups and ADA requirements. Smart and simple,

New Medley gives students and teachers exactly what they need when they need it. And now, New Medley is outfitted in the izzy+ flavors palette of materials and colors, bringing a fresh new look to an all time favorite.

MODEL NUMBER BUILD

CCFLAA2460 Chestnut Woodline 2MM Brown Alloy Grommets – G2
 1. Model # 2. 3. 4. 5. 6.

SPECIFY

| 1. Model # | 2. TOP COLOR LAMINATE | 3. EDGE TYPE | 5. PAINT FINISH | 6. OPTIONS | |
|-----------------|---|---|---|---|---|
| 1. Model Number | Core Solid LBT Dover White LDM Pearl LB4 Folkstone LDQ Platinum LCB Earth LDA Citadel LCD Graphite LAS Black Classic Pattern LRP Grey Mesh LRC Pewter Mesh LPD Platinum Drops LWH White Drops LNT Neutral Twill LSR Sarum Twill Classic Wood Grain LTS Fusion Maple LSV Monticello Maple LS2 Huntington Maple LXW Wild Cherry LS4 Versailles Anigre LTW Empire Mahogany LVK Montana Walnut LT6 Hemlock Evolving Wood Grain LCC Smoky Brown Pear LZ7 White Ash LZ8 Weathered Ash LZ9 Natural Ash LCH Cherry Riftwood | Melamine (SOK only) Core Solid M01 Cloud M17 Ivory M18 Folkstone M19 Platinum M20 Earth M03 Graphite M13 Black Classic Pattern M14 White Nebula M15 Grey Nebula M16 Graphite Nebula Classic Wood Grain M06 Fusion Maple M07 Monticello Maple M08 Huntington Maple M09 Wild Cherry M10 Versailles Anigre M11 Empire Mahogany M12 Montana Walnut M21 Hemlock | 2MM ABS Edgeband T-Mold 4. 2MM EDGE COLOR Core Solid E30 White E31 Neutral White E33 Folkstone E32 Platinum E39 Earth E38 Brown E36 Citadel E35 Graphite E37 Black E34 Satin Silver Classic Wood Grain E41 Fusion Maple E42 Monticello Maple E43 Huntington Maple E44 Wild Cherry E45 Versailles Anigre E40 Empire Mahogany E47 Montana Walnut E46 Hemlock 4. SMOOTH T-MOLD COLOR V39 Earth V36 Citadel V35 Graphite V37 Black | P07 White P06 Silver P09 Charcoal P10 Black P11 Alloy | C Casters TP Travel Pack G1 One Grommet, centered G2 Two Grommets, at each end |

CONSTRUCTION/FEATURES

- 1/4" thick high-pressure laminate top with T-mold or 2mm ABS edgeband
- Metal base (1" x 2" leg & feet) & modesty panel with powder coated paint finish
- Feet have black contour end caps and adjustable glides
- 1" x 1" metal support bar on 60", 66" & 72"
- Adjustable height models from 24" to 32"
- DU Pedestals cannot be used with New Medley

OPTIONS

- 3" casters (does not change table height) (+\$41) place a "C" after model #
- Wire management tray (WM9)
- Vertical wire management cord cover (CCFLWVM)
- Ganging kit connecting tables end to end
- Grommets: G1 – one grommet, centered (+\$22); G2 – two grommets, at each end (+\$43) (60"-72")

SPECIFY


1. Model Number
2. Top Color
3. Edge Type & Color
4. Paint Finish
5. Options

STANDARD PRODUCT

- 29" fixed or height-adjustable table with modesty panel and glides, no grommets


Fixed Height (29") Table with Modesty Panel

| MODEL NUMBER | NOMINAL DIM. | | | TOTAL WT. | CUBIC FEET | T-MOLD LIST PRICE | 2MM LIST PRICE |
|--------------|--------------|----|----|-----------|------------|-------------------|----------------|
| | D | W | H | | | | |
| CCFL 20309* | 20 | 30 | 29 | 44 | 2.2 | \$ 447 | \$ 447 |
| CCFL 20369* | 20 | 36 | 29 | 51 | 2.7 | 466 | 466 |
| CCFL 20429* | 20 | 42 | 29 | 58 | 3.2 | 501 | 501 |
| CCFL 20489** | 20 | 48 | 29 | 64 | 3.7 | 515 | 515 |
| CCFL 20609 | 20 | 60 | 29 | 78 | 4.7 | 536 | 536 |
| CCFL 20669 | 20 | 66 | 29 | 85 | 5.2 | 613 | 613 |
| CCFL 20729 | 20 | 72 | 29 | 92 | 5.7 | 613 | 613 |
| CCFL 24309* | 24 | 30 | 29 | 48 | 2.8 | 448 | 448 |
| CCFL 24369** | 24 | 36 | 29 | 55 | 3.3 | 468 | 468 |
| CCFL 24429** | 24 | 42 | 29 | 62 | 3.8 | 507 | 507 |
| CCFL 24489** | 24 | 48 | 29 | 69 | 4.3 | 523 | 523 |
| CCFL 24609 | 24 | 60 | 29 | 83 | 5.3 | 565 | 565 |
| CCFL 24669 | 24 | 66 | 29 | 90 | 5.8 | 644 | 644 |
| CCFL 24729 | 24 | 72 | 29 | 97 | 6.3 | 644 | 644 |
| CCFL 30309* | 30 | 30 | 29 | 60 | 3.8 | 484 | 484 |
| CCFL 30369** | 30 | 36 | 29 | 60 | 3.8 | 496 | 496 |
| CCFL 30429** | 30 | 42 | 29 | 67 | 4.3 | 530 | 530 |
| CCFL 30489** | 30 | 48 | 29 | 74 | 4.8 | 547 | 547 |
| CCFL 30609 | 30 | 60 | 29 | 88 | 5.8 | 619 | 619 |
| CCFL 30669 | 30 | 66 | 29 | 95 | 6.3 | 682 | 682 |
| CCFL 30729 | 30 | 72 | 29 | 102 | 6.8 | 682 | 682 |



Options

| OPTION CODE | DESCRIPTION | LIST PRICE |
|-------------|--|------------|
| C | 3" Caster (2 locking, 2 non-locking) | \$ 41 |
| G1 | One grommet, centered (any table size) | 22 |
| G2 | Two grommets, one at each end (60"-72" tables) | 43 |




*UPSable

**UPSable with travel pack + \$8 net (place a "TP" after model number and indicate UPS as preferred shipping method)

NEW MEDLEY®

Height Adjustable Table with Modesty Panel



| MODEL NUMBER | NOMINAL DIM. | | | TOTAL WT. | CUBIC FEET | T-MOLD LIST PRICE | 2MM LIST PRICE |
|---------------|--------------|----|-------|-----------|------------|-------------------|----------------|
| | D | W | H | | | | |
| CCFLAA 2030* | 20 | 30 | 24-32 | 44 | 2.3 | \$ 471 | \$ 471 |
| CCFLAA 2036* | 20 | 36 | 24-32 | 51 | 2.8 | 475 | 475 |
| CCFLAA 2042** | 20 | 42 | 24-32 | 58 | 3.3 | 534 | 534 |
| CCFLAA 2048** | 20 | 48 | 24-32 | 64 | 3.8 | 536 | 536 |
| CCFLAA 2060 | 20 | 60 | 24-32 | 78 | 4.8 | 541 | 541 |
| CCFLAA 2066 | 20 | 66 | 24-32 | 85 | 5.3 | 656 | 656 |
| CCFLAA 2072 | 20 | 72 | 24-32 | 92 | 5.8 | 656 | 656 |
| CCFLAA 2430* | 24 | 30 | 24-32 | 48 | 2.8 | 475 | 475 |
| CCFLAA 2436** | 24 | 36 | 24-32 | 55 | 3.3 | 477 | 477 |
| CCFLAA 2442** | 24 | 42 | 24-32 | 62 | 3.8 | 547 | 547 |
| CCFLAA 2448** | 24 | 48 | 24-32 | 69 | 4.3 | 556 | 556 |
| CCFLAA 2460 | 24 | 60 | 24-32 | 83 | 5.3 | 584 | 584 |
| CCFLAA 2466 | 24 | 66 | 24-32 | 90 | 5.8 | 703 | 703 |
| CCFLAA 2472 | 24 | 72 | 24-32 | 97 | 6.3 | 703 | 703 |
| CCFLAA 3030** | 30 | 30 | 24-32 | 60 | 3.8 | 462 | 462 |
| CCFLAA 3036** | 30 | 36 | 24-32 | 60 | 3.8 | 501 | 501 |
| CCFLAA 3042** | 30 | 42 | 24-32 | 67 | 4.3 | 573 | 573 |
| CCFLAA 3048** | 30 | 48 | 24-32 | 74 | 4.8 | 604 | 604 |
| CCFLAA 3060 | 30 | 60 | 24-32 | 88 | 5.8 | 671 | 671 |
| CCFLAA 3066 | 30 | 66 | 24-32 | 95 | 6.3 | 745 | 745 |
| CCFLAA 3072 | 30 | 72 | 24-32 | 102 | 6.8 | 745 | 745 |

*UPSable

**UPSable with travel pack + \$8 net (place a "TP" after model number)

CONSTRUCTION/FEATURES

- 1/4" thick high-pressure laminate top with T-mold or 2mm ABS edgeband
- Metal base (1" x 2" leg & feet) & modesty panel with powder coated paint finish
- Feet have black contour end caps and adjustable glides
- 1" x 1" metal support bar on 60", 66" & 72"
- Adjustable height models from 24" to 32"
- Horizontal wire management tray with open ends. Use for optional power, data or lay-in cords see New Medley Electrical System section
- DU Pedestals cannot be used with New Medley

OPTIONS

- 3" casters (does not change table height) (+\$41) place a "C" after model #
- End caps (with grommet) for horizontal wire management tray
- Ganging kit connecting tables end to end
- Grommets: G1 – one grommet, centered (+\$22); G2 – two grommets, at each end (+\$43) (60"-72")

SPECIFY


1. Model Number
2. Top Color
3. Edge Type & Color
4. Paint Finish
5. Options

STANDARD PRODUCT

- 29" fixed or height-adjustable table with wire management tray and glides, no grommets


Fixed Height (29") Table with Wire Management Tray

| MODEL NUMBER | NOMINAL DIM. | | | TOTAL WT. | CUBIC FEET | T-MOLD LIST PRICE | 2MM LIST PRICE |
|---------------|--------------|----|----|-----------|------------|-------------------|----------------|
| | D | W | H | | | | |
| CCFLW 20309* | 20 | 30 | 29 | 44 | 2.2 | \$ 502 | \$ 502 |
| CCFLW 20369* | 20 | 36 | 29 | 51 | 2.7 | 527 | 527 |
| CCFLW 20429* | 20 | 42 | 29 | 58 | 3.2 | 568 | 568 |
| CCFLW 20489** | 20 | 48 | 29 | 64 | 3.7 | 583 | 583 |
| CCFLW 20609 | 20 | 60 | 29 | 78 | 4.7 | 608 | 608 |
| CCFLW 20669 | 20 | 66 | 29 | 85 | 5.2 | 677 | 677 |
| CCFLW 20729 | 20 | 72 | 29 | 92 | 5.7 | 677 | 677 |
| CCFLW 24309** | 24 | 30 | 29 | 48 | 2.8 | 504 | 504 |
| CCFLW 24369** | 24 | 36 | 29 | 55 | 3.3 | 528 | 528 |
| CCFLW 24429** | 24 | 42 | 29 | 62 | 3.8 | 569 | 569 |
| CCFLW 24489** | 24 | 48 | 29 | 69 | 4.3 | 592 | 592 |
| CCFLW 24609 | 24 | 60 | 29 | 83 | 5.3 | 642 | 642 |
| CCFLW 24669 | 24 | 66 | 29 | 90 | 5.8 | 711 | 711 |
| CCFLW 24729 | 24 | 72 | 29 | 97 | 6.3 | 711 | 711 |
| CCFLW 30309** | 30 | 30 | 29 | 60 | 3.8 | 523 | 523 |
| CCFLW 30369** | 30 | 36 | 29 | 60 | 3.8 | 564 | 564 |
| CCFLW 30429** | 30 | 42 | 29 | 67 | 4.3 | 602 | 602 |
| CCFLW 30489** | 30 | 48 | 29 | 74 | 4.8 | 622 | 622 |
| CCFLW 30609 | 30 | 60 | 29 | 88 | 5.8 | 707 | 707 |
| CCFLW 30669 | 30 | 66 | 29 | 95 | 6.3 | 756 | 756 |
| CCFLW 30729 | 30 | 72 | 29 | 102 | 6.8 | 756 | 756 |



Options

| OPTION CODE | DESCRIPTION | LIST PRICE |
|-------------|--|------------|
| C | 3" Caster (2 locking, 2 non-locking) | \$ 41 |
| G1 | One grommet, centered (any table size) | 22 |
| G2 | Two grommets, one at each end (60"-72" tables) | 43 |




*UPSable

**UPSable with travel pack + \$8 net (place a "TP" after model number and indicate UPS as preferred shipping method)

NEW MEDLEY®

Height Adjustable Table with Wire Management Tray



| MODEL NUMBER | NOMINAL DIM. | | | TOTAL WT. | CUBIC FEET | T-MOLD LIST PRICE | 2MM LIST PRICE |
|----------------|--------------|----|-------|-----------|------------|-------------------|----------------|
| | D | W | H | | | | |
| CCFLWAA 2030* | 20 | 30 | 24-32 | 44 | 2.3 | \$ 531 | \$ 531 |
| CCFLWAA 2036* | 20 | 36 | 24-32 | 51 | 2.8 | 536 | 536 |
| CCFLWAA 2042** | 20 | 42 | 24-32 | 58 | 3.3 | 606 | 606 |
| CCFLWAA 2048** | 20 | 48 | 24-32 | 64 | 3.8 | 608 | 608 |
| CCFLWAA 2060 | 20 | 60 | 24-32 | 78 | 4.8 | 615 | 615 |
| CCFLWAA 2066 | 20 | 66 | 24-32 | 85 | 5.3 | 726 | 726 |
| CCFLWAA 2072 | 20 | 72 | 24-32 | 92 | 5.8 | 726 | 726 |
| CCFLWAA 2430* | 24 | 30 | 24-32 | 48 | 2.8 | 536 | 536 |
| CCFLWAA 2436** | 24 | 36 | 24-32 | 55 | 3.3 | 540 | 540 |
| CCFLWAA 2442** | 24 | 42 | 24-32 | 62 | 3.8 | 622 | 622 |
| CCFLWAA 2448** | 24 | 48 | 24-32 | 69 | 4.3 | 630 | 630 |
| CCFLWAA 2460 | 24 | 60 | 24-32 | 83 | 5.3 | 666 | 666 |
| CCFLWAA 2466 | 24 | 66 | 24-32 | 90 | 5.8 | 781 | 781 |
| CCFLWAA 2472 | 24 | 72 | 24-32 | 97 | 6.3 | 781 | 781 |
| CCFLWAA 3030** | 30 | 30 | 24-32 | 60 | 3.8 | 534 | 534 |
| CCFLWAA 3036** | 30 | 36 | 24-32 | 60 | 3.8 | 568 | 568 |
| CCFLWAA 3042** | 30 | 42 | 24-32 | 67 | 4.3 | 652 | 652 |
| CCFLWAA 3048** | 30 | 48 | 24-32 | 74 | 4.8 | 688 | 688 |
| CCFLWAA 3060 | 30 | 60 | 24-32 | 88 | 5.8 | 767 | 767 |
| CCFLWAA 3066 | 30 | 66 | 24-32 | 95 | 6.3 | 832 | 832 |
| CCFLWAA 3072 | 30 | 72 | 24-32 | 102 | 6.8 | 832 | 832 |

*UPSable

**UPSable with travel pack + \$8 net (place a "TP" after model number)

CONSTRUCTION/FEATURES

- 1/4" thick high-pressure laminate top with T-mold or 2mm ABS edgeband
- Metal base (1" x 2" leg & feet) & modesty panel with powder coated paint finish
- Feet have black contour end caps and adjustable glides on foot
- 1" x 1" metal support bar on 60", 66" & 72"
- Adjustable height models from 24" to 32"
- Secure horizontal wire management box: 9" height with locking, hinged locking door, end cap (with grommet) for side to side channeling of cords. Use for optional power, data or lay-in cords see New Medley Electrical System section. Box has closed ends with grommets
- DU Pedestals cannot be used with New Medley

OPTIONS

- 3" casters (does not change table height) (+\$41) place a "C" after model #
- Ganging kit connecting tables end to end
- Vertical wire management cord cover - CCFLWMM

SPECIFY


1. Model Number
2. Top Color
3. Edge Type & Color
4. Paint Finish
5. Options

STANDARD PRODUCT

- 29" fixed or height-adjustable table with secure wire management tray and glides


Fixed Height (29") Table with Secure Wire Management Tray

| MODEL NUMBER | NOMINAL DIM. | | | TOTAL WT. | CUBIC FEET | T-MOLD LIST PRICE | 2MM LIST PRICE |
|----------------|--------------|----|----|-----------|------------|-------------------|----------------|
| | D | W | H | | | | |
| CCFLFT 24309* | 24 | 30 | 29 | 53 | 2.8 | \$ 761 | \$ 761 |
| CCFLFT 24369** | 24 | 36 | 29 | 61 | 3.3 | 778 | 778 |
| CCFLFT 24429** | 24 | 42 | 29 | 69 | 3.8 | 861 | 861 |
| CCFLFT 24489** | 24 | 48 | 29 | 77 | 4.3 | 870 | 870 |
| CCFLFT 24609 | 24 | 60 | 29 | 92 | 5.3 | 916 | 916 |
| CCFLFT 24669 | 24 | 66 | 29 | 100 | 5.8 | 1063 | 1063 |
| CCFLFT 24729 | 24 | 72 | 29 | 108 | 6.3 | 1063 | 1063 |
| CCFLFT 30309** | 30 | 30 | 29 | 70 | 4.1 | 741 | 741 |
| CCFLFT 30369** | 30 | 36 | 29 | 70 | 4.1 | 789 | 789 |
| CCFLFT 30429** | 30 | 42 | 29 | 77 | 4.6 | 867 | 867 |
| CCFLFT 30489** | 30 | 48 | 29 | 85 | 5.1 | 916 | 916 |
| CCFLFT 30609 | 30 | 60 | 29 | 101 | 6.1 | 992 | 992 |
| CCFLFT 30669 | 30 | 66 | 29 | 108 | 6.6 | 1113 | 1113 |
| CCFLFT 30729 | 30 | 72 | 29 | 116 | 7.1 | 1113 | 1113 |



Height Adjustable Table with Secure Wire Management Tray

| MODEL NUMBER | NOMINAL DIM. | | | TOTAL WT. | CUBIC FEET | T-MOLD LIST PRICE | 2MM LIST PRICE |
|-----------------|--------------|----|-------|-----------|------------|-------------------|----------------|
| | D | W | H | | | | |
| CCFLFTAA 2430* | 24 | 30 | 24-32 | 50 | 2.8 | \$ 792 | \$ 792 |
| CCFLFTAA 2436** | 24 | 36 | 24-32 | 59 | 3.3 | 796 | 796 |
| CCFLFTAA 2442** | 24 | 42 | 24-32 | 65 | 3.8 | 886 | 886 |
| CCFLFTAA 2448** | 24 | 48 | 24-32 | 74 | 4.3 | 895 | 895 |
| CCFLFTAA 2460 | 24 | 60 | 24-32 | 88 | 5.3 | 944 | 944 |
| CCFLFTAA 2466 | 24 | 66 | 24-32 | 95 | 5.8 | 1098 | 1098 |
| CCFLFTAA 2472 | 24 | 72 | 24-32 | 103 | 6.3 | 1098 | 1098 |
| CCFLFTAA 3030** | 30 | 30 | 24-32 | 55 | 3.0 | 763 | 763 |
| CCFLFTAA 3036** | 30 | 36 | 24-32 | 68 | 3.8 | 810 | 810 |
| CCFLFTAA 3042** | 30 | 42 | 24-32 | 74 | 4.3 | 906 | 906 |
| CCFLFTAA 3048** | 30 | 48 | 24-32 | 83 | 4.8 | 948 | 948 |
| CCFLFTAA 3060 | 30 | 60 | 24-32 | 97 | 5.8 | 1041 | 1041 |
| CCFLFTAA 3066 | 30 | 66 | 24-32 | 104 | 6.3 | 1147 | 1147 |
| CCFLFTAA 3072 | 30 | 72 | 24-32 | 112 | 6.8 | 1147 | 1147 |




Options

| OPTION CODE | DESCRIPTION | LIST PRICE |
|-------------|--------------------------------------|------------|
| C | 3" Caster (2 locking, 2 non-locking) | \$ 41 |

*UPSable

**UPSable with travel pack + \$8 net (place a "TP" after model number and indicate UPS as preferred shipping method)



NEW MEDLEY®

Computer Centers

CONSTRUCTION/FEATURES

- 1¼" thick high-pressure laminate top with T-mold
- Metal base (1" x 2" leg & feet) & modesty panel with powder coated paint finish
- Feet have black contour end caps and adjustable glides
- Fixed 29" and height adjustable models from 24" to 32"
- Vertical wire management channel: 5¾" D x 13½" W, accepts most power strips


OPTIONS

- 3" casters (do not change workstation height) (+\$82) place a "C" after model #
- Ganging kit connecting workstations, back to back
- Accessory shelf, same construction as worksurface

SPECIFY

1. Model Number
2. Top Color
3. Edge Color
4. Paint Finish
5. Options

Fixed Height Computer Center




| MODEL NUMBER | NOMINAL DIM. | | | TOTAL WT. | CUBIC FEET | T-MOLD LIST PRICE |
|--------------|--------------|----|----|-----------|------------|-------------------|
| | D | W | H | | | |
| CFLCC 9 | 42 | 96 | 29 | 186 | 13.3 | \$ 1372 |

Adjustable Height Computer Center

| MODEL NUMBER | NOMINAL DIM. | | | TOTAL WT. | CUBIC FEET | T-MOLD LIST PRICE |
|--------------|--------------|----|-------|-----------|------------|-------------------|
| | D | W | H | | | |
| CFLCCAA | 42 | 96 | 24-32 | 186 | 13.3 | \$ 1436 |

Computer Center with Optional Shelf



| MODEL NUMBER | NOMINAL DIM. | | | TOTAL WT. | CUBIC FEET | T-MOLD LIST PRICE |
|--------------|--------------|----|-------|-----------|------------|-------------------|
| | D | W | H | | | |
| CFLCCGANG* | GANGER KIT | | | 3 | 0.5 | \$ 44 |
| CFLCCSHELF | 24 | 56 | 16-22 | 62 | 5.4 | 613 |

*UPSable

**UPSable with travel pack + \$8 net (place a "TP" after model number and indicate UPS as preferred shipping method)

CONSTRUCTION/FEATURES

- 1¼" thick high-pressure laminate top with T-mold
- Metal single post base with powder coated paint finish
- Feet have black contour end caps and adjustable glides

SPECIFY

1. Model Number
2. Top Color
3. Edge Type & Color
4. Paint Finish

| MODEL NUMBER | NOMINAL DIM. | | | TOTAL WT. | CUBIC FEET | T-MOLD LIST PRICE |
|--------------|--------------|----|----|-----------|------------|-------------------|
| | D | W | H | | | |
| CFLW 2036 9 | 20 | 36 | 29 | 44 | 3.5 | \$ 454 |
| CFLW 2042 9 | 20 | 42 | 29 | 55 | 4.2 | 474 |
| CFLW 2436 9 | 24 | 36 | 29 | 47 | 3.5 | 490 |
| CFLW 2442 9 | 24 | 42 | 29 | 62 | 4.2 | 511 |
| CFLW 3036 9 | 30 | 36 | 29 | 47 | 3.5 | 562 |
| CFLW 3042 9 | 30 | 42 | 29 | 62 | 4.2 | 582 |

For 20" Tables

| | | | | | | |
|------------|----|----|--|----|-----|-----|
| CFLW 9020* | 20 | 20 | | 10 | 2.0 | 141 |
|------------|----|----|--|----|-----|-----|

For 24" Tables

| | | | | | | |
|------------|----|----|--|----|-----|-----|
| CFLW 9024* | 24 | 24 | | 15 | 2.0 | 176 |
|------------|----|----|--|----|-----|-----|

For 30" Tables

| | | | | | | |
|------------|----|----|--|----|-----|-----|
| CFLW 9030* | 30 | 30 | | 25 | 2.5 | 176 |
|------------|----|----|--|----|-----|-----|


For 24" Tables

| | | | | | | |
|--------------|----|----|-------|----|-----|-----|
| CFLW 2424 9* | 24 | 24 | 26/29 | 24 | 2.0 | 354 |
|--------------|----|----|-------|----|-----|-----|

For 30" Tables

| | | | | | | |
|--------------|----|----|-------|----|-----|-----|
| CFLW 3030 9* | 30 | 30 | 26/29 | 34 | 2.5 | 354 |
|--------------|----|----|-------|----|-----|-----|

- Woodgrain laminate direction is diagonal on CFLW corners
- 1¼" square post standard on corners and squares
- All wedges sent with (2) 18" flat plates



Corner



90°



Square

*UPSable

**UPSable with travel pack + \$8 net (place a "TP" after model number and indicate UPS as preferred shipping method)

NEW MEDLEY®


END CAP

CONSTRUCTION/FEATURES

- To close wire management tray on CCFLW series
- Sold in pairs

SPECIFY

1. Model Number
2. Paint Color



| MODEL NUMBER | DESCRIPTION | TOTAL WT. | LIST PRICE |
|--------------|-------------------|-----------|------------|
| CCFLWEC | End cap w/grommet | 0.5 | \$ 42 |


NEW MEDLEY GANGER KIT

CONSTRUCTION/FEATURES

- Set of 2 use 1 front and 1 rear; black only,
- Use with CCFL, CCFLW & CCFLFT

SPECIFY

1. Model Number



| MODEL NUMBER | TOTAL WT. | LIST PRICE |
|--------------|-----------|------------|
| CCFL GANG | 0.5 | \$ 66 |


VERTICAL WIRE MANAGEMENT CORD COVER

CONSTRUCTION/FEATURES

- Use 1 per leg
- Use with CCFL, CCFLW & CCFLFT

SPECIFY

1. Model Number
2. Paint Color



| MODEL NUMBER | USAGE | TOTAL WT. | LIST PRICE |
|--------------|---|-----------|------------|
| CCFLWWM-6 | for adult adjustable with/without casters | 0.5 | \$ 32 |
| CCFLWWM-11 | for 29" fixed with casters | 0.5 | 32 |
| CCFLWWM-14 | for 29" with glides | 0.5 | 32 |


LOCKING CENTER DRAWER

CONSTRUCTION/FEATURES

- All metal construction
- UPS able (shown with *)

SPECIFY

1. Model Number
2. Paint Color



| MODEL NUMBER | NOMINAL DIM. | | | TOTAL WT. | CUBIC FEET | LIST PRICE |
|--------------|--------------|--------------------------------|-------------------------------|-----------|------------|------------|
| | D | W | H | | | |
| CD* | 18 | 19 ⁷ / ₈ | 2 ¹ / ₂ | 5 | 1.0 | \$ 252 |

NEW MEDLEY®

BLACK PLASTIC LOCKING CENTER DRAWER


CONSTRUCTION/FEATURES

- UPSable (shown with *)

SPECIFY

1. Model Number

| MODEL NUMBER | NOMINAL DIM. | | | TOTAL WT. | CUBIC FEET | LIST PRICE |
|--------------|------------------|------------------|---|-----------|------------|------------|
| | D | W | H | | | |
| CDP* | 16 $\frac{7}{8}$ | 23 $\frac{1}{4}$ | 2 | 7 | 1.3 | \$ 95 |



WIRE MANAGEMENT TRAY


CONSTRUCTION/FEATURES

- Available in black only
- UPSable (shown with *)

SPECIFY

1. Model Number

| MODEL NUMBER | DESCRIPTION | LENGTH | TOTAL WT. | CUBIC FEET | LIST PRICE |
|--------------|---------------------------|--------|-----------|------------|------------|
| WM9* | 1 for 24"-36" width table | 9" | 2 | .5 | \$ 22 |
| | 2 for 36"-42" width table | | | | |
| | 3 for 48"-72" width table | | | | |



BRACKETS AND CASTERS


CONSTRUCTION/FEATURES

- UPSable (shown with *)

SPECIFY

1. Model Number

| MODEL NUMBER | DESCRIPTION | TOTAL WT. | CUBIC FEET | LIST PRICE |
|--------------|--|-----------|------------|------------|
| CFLCASTER* | For New Medley only (3 inch) (4-pack, 2 locking, 2 non-locking; increases height) | 2 | 1.0 | \$ 48 |
| CFFLATBRKT* | 16" Flat Plate (galvanized) | 1 | 0.5 | 21 |



NEW MEDLEY®

Electrical System for Use with New Medley Rectangular Tables

Byrne Electrical's 4-Trac System® is a UL listed, Manufactured Wiring System. 4-Trac® features a low profile, 4-wire, 2 circuit system that provides 20 amps of power per circuit. 4-Trac® meets the requirements of UL 183 and National Electric Code Article 604. It also complies with municipal standards such as New York, Los Angeles and San Francisco. It is, however, the customer's responsibility to ensure installation of the system is in compliance with all local, regional and national codes. A licensed electrician is required to make all connections to the building power supply. This electrical system is not intended for use with any ABCO Modular Furniture Series.

GENERAL RULES FOR THE SPECIFICATION OF CIRCUITS

- Up to four computers (tower and monitor combined) per circuit
- Eight laptops per circuit
- Subtract one computer (tower and monitor combined) or laptop if adding a printer

If exceeding the above numbers in a row, Circuit II must be added. Use the same quantities for specification of Circuit II. A Hardwire Infeed must be specified when using Circuits I and II together. In addition, verify with building engineering staff two circuits of electrical power are available at infeed sight. Circuit I is standard for the Power Table Kits. To specify Circuit II, order Circuit II Power Table Kits. Power Table Kits and Table Jumpers are designed for use with many different size tables in the same row.


POWER TABLE KITS

CONSTRUCTION/FEATURES

- Power Table Kits are ordered based on table width
- Each Power Table Kit 30"-72" includes:
 - (2) Circuit I duplex receptacles, (1) duplex connecting harness and
 - (2) duplex receptacle mounting brackets.
- 24" Table Kit includes: (1) Circuit I duplex receptacle and (1) duplex receptacle mounting bracket.
- Center of the power table kit is aligned with the center of the table.
- Ex: For a 36" wide table, specify the BEPTK-136 kit.

SPECIFY

1. Model Number



| MODEL NUMBER | TABLE WIDTH | TOTAL WT. | LIST PRICE |
|------------------------------------|-------------|-----------|------------|
| Circuit I Power Table Kits | | | |
| BEPTK-I30 | 30" | .65 | \$ 114 |
| BEPTK-I36 | 36" | .75 | 149 |
| BEPTK-I42 | 42" | .85 | 152 |
| BEPTK-I48 | 48" | .95 | 155 |
| BEPTK-I60 | 60" | 1.15 | 163 |
| BEPTK-I66 | 66" | 1.25 | 166 |
| BEPTK-I72 | 72" | 1.35 | 170 |
| Circuit II Power Table Kits | | | |
| BEPTK-II30 | 30" | .65 | 114 |
| BEPTK-II36 | 36" | .75 | 149 |
| BEPTK-II42 | 42" | .85 | 152 |
| BEPTK-II48 | 48" | .95 | 155 |
| BEPTK-II60 | 60" | 1.15 | 163 |
| BEPTK-II66 | 66" | 1.25 | 166 |
| BEPTK-II72 | 72" | 1.35 | 170 |

TABLE JUMPER


CONSTRUCTION/FEATURES

- Required to connect power from one table to another
- 18" table jumper connects power in rows when tables are side by side
- 24" table jumper connect power in collaborative settings such as U-shaped, anytime a corner is created
- Connects any combination of Power Table Kits and table widths
- Order one less Table Jumper than number of tables being connected. Ex: For three tables, specify two jumpers

SPECIFY

1. Model Number

| MODEL NUMBER | TABLE WIDTH | TOTAL WT. | LIST PRICE |
|--------------|-------------|-----------|------------|
| BETJ18 | 18" | .50 | \$ 49 |
| BETJ24 | 24" | .50 | 60 |



H CONNECTOR


CONSTRUCTION/FEATURES

- Splits power in multiple directions.
- Use when power source is in the center of a row of tables rather than at the end.
- 4 connection points - one power in and 3 out.

SPECIFY

1. Model Number

| MODEL NUMBER | DESCRIPTION | LIST PRICE |
|--------------|----------------------------------|------------|
| BEHC | 4 Wire "H" Connector | \$ 19 |
| BEHCMBK | H Connector Mounting Bracket Kit | 8 |



POWER INFEEDS

CONSTRUCTION/FEATURES


- Four types of power infeeds are offered:
 - Hardwire infeed – installed by a licensed electrician – UL Listed
 - 20 amp, 90 degree right angle plug infeed – UL Recognized, not UL Listed
 - 20 amp, right angle infeed – UL Recognized, not UL Listed
 - 20 amp, straight plug infeed – special wall receptacle required – UL Recognized, not UL Listed

SPECIFY

1. Model Number

| MODEL NUMBER | DESCRIPTION | LENGTH | TOTAL WT. | LIST PRICE |
|--------------|-----------------------------|--------|-----------|------------|
| BEHWI6* | Direct Hardwire Infeed | 6 ft. | 1.5 | \$ 105 |
| BE90DRAPI6** | 90° Right Angle Plug Infeed | 6 ft. | 1.5 | 160 |
| BERAPI6** | Right Angle Plug Infeed | 6 ft. | 1.5 | 155 |
| BESPI6** | Straight Plug Infeed | 6 ft. | 1.5 | 155 |

- *Hardwired to building power source by licensed electrician then connect to receptacle in power system.
- **Plugs into 20 amp wall outlet only. Connect to receptacle in power system. Circuit I only. UL Recognized, not UL Listed
- **Requires 20 amp wall outlet



④
Plug
end view

NEW MEDLEY®


DATA BOX

CONSTRUCTION/FEATURES

- Data may be added using the Data Box Minitap with Voice Adaptor Kit.
- Includes (2) Duraloc velcro-type strips for mounting to metal and wood screws for mounting to wood.
- Accommodates two Keystone-style data jacks or couplers.

SPECIFY

1. Model Number



| MODEL NUMBER | DESCRIPTION | TOTAL WT. | LIST PRICE |
|--------------|------------------------------|-----------|------------|
| BEDB | Data Box w/Voice Adaptor Kit | 0.25 | \$ 80 |


RJ45 DATA JACKS

CONSTRUCTION/FEATURES

- Packed 1 per bag.
- Contact Customer Service for availability of other data/voice Jacks and Couplers

SPECIFY

1. Model Number




| MODEL NUMBER | DESCRIPTION | TOTAL WT. | LIST PRICE |
|--------------|---------------------------------|-----------|------------|
| BERJ45 | AMP 8-Pin, RJ45 Cat5e Data Jack | 0.5 | \$ 26 |

CLAMP-ON POWER/DATA MODULE

SPECIFY

1. Model Number



| MODEL NUMBER | NOMINAL DIM. | | | TOTAL WT. | CUBIC FEET | LIST PRICE |
|--------------|--------------|----|----|-----------|------------|------------|
| | D | L | H | | | |
| CPOWER* | 2½ | 10 | 3⅝ | 3 | 1.0 | \$ 431 |